



COMMERCE AND INDUSTRY.
DURABLE AND DECORATIVE
FLOORING.





HIGHEST QUALITY.



STONE CARPETS AND MORE. ENDLESS POSSIBILITIES FOR YOUR BUSINESS.

Be a Customer at the Home of the Craft.

Risto GmbH & Co.KG is a modern, dynamic and growing company. Since its founding in 1977, RISTO® has been at the forefront of durable and decorative flooring, in Germany and beyond. What we have to offer is experience, professional employees, adherence to schedules, service and quality products.

We place nature at your feet.

Amongst the wide variety of flooring, a surface made of stone is certainly one of the most beautiful and durable choices. Whether used for your business or your home, outside or inside, with this flooring system you always get a special, naturally fashionable atmosphere.

Infinite possibilities.


Stone surfaces offer unlimited possibilities. As a base material we offer a choice between either quartz or marble granules. These two materials can be further defined into grain size and color, then mixed to match your personal taste. For the finishing touch, gold or silver shimmer and/or other special material can be added. When we say variety, we mean it.

A Tasteful alternative to tiles, laminate, and others.

If you are considering a renovation to your home, stone surfaces are tasteful alternatives. Our granules are optimally suited for large or small spaces, such as balconies, bathrooms, and staircases, inside and out. Natural stone surfaces in your bathroom will, no doubt, delight you everyday anew.

RISTO® stands for excellence in quality. That coupled with our cost effective nature, a decision for RISTO® stone surfaces affords you valuable and durable floors that keep an outstanding look for decades to come. Are you a homeowner and want to get your balcony renovated or have your staircase coated? A business owner looking to create an exciting space to work in? We realize that you have certain expectations. Which is why we are always open to your requests and ideas. We look forward to meeting with you and exchanging ideas.

Highest quality from RISTO® – floors made of marble granules and stone carpets.



- MONTREAL I
- MONTREAL BROSSARD II
- ATHENS
- BAD TÖLZ
- BERLIN
- BERLIN-CHARLOTTENBURG
- BRÜSSEL
- INGOLSTADT
- DRESDEN
- FRANKFURT
- KIEL
- LONDON
- LOS ANGELES
- NECKARSULM
- PEKING
- POTSDAM
- NÜRNBERG
- WUPPERTAL
- VANCOUVER
- TORONTO
- SAN FRANCISCO
- NEW DELHI
- HAMBURG



AUDI TERMINALS. A VEHICLE FLEET DESERVING OF HIGH-QUALITY STONE FLOORS.

RISTO® Flooring Systems are especially suitable for the motor vehicle industry and are used with great success by worldwide automobile manufacturers such as **VW, AUDI, MAN, Mercedes, BMW, Porsche, etc.**

The AUDI Corporation has designed a special brand-architecture for their contractual partners: The AUDI-Terminal. The focal center of this new building concept is the AUDI-Curve. This innovative solution blends the floors with the wall areas providing tremendous adaptability of our carpet technology.


RISTO® offers the following advantages in an AUDI Terminal:

- looks decorative and classic
- mutes and engulfs noise
- (possibly sparing the installation of a sound proof ceiling)
- easy maintenance (less cleaning intervals, reducing cleaning costs)
- seamless (no default grate as with tiles)
- pleasant and quiet walking comfort
- skid resistant
- seamless transition from floor to wall
- no rolling noise from maneuvers
- no plasticizer migration when applied open-pore

Trust RISTO® to highlight your vehicle fleet with quality stone floors. Your customers will be convinced by synergy of car and floor. In an environment where every element matters, from the design and functionality to the technology, the importance of appearance is obvious.

We would be pleased to consult you on the installation of your project.

Our custom color (1278_68_33) was especially designed for The Audi Corporation Terminals.



PORE SEALANT

RISTO® STONE CARPET

SUBFLOOR

QUALITY



CE - MARKING



EXTREMELY RESILIENT



SKID RESISTANT
R9 / R10 (DEPENDING IN GRAIN)



SOUND ABSORBING
DIN EN ISO 354 AND
DIN EN ISO 11654



NON-FLAMABLE, WITH ONLY A
FEW COMBUSTIBLE PARTS
NACH DIN EN-13501-1: A2 FL-s1



SUITABLE FOR FLOOR HEATING



FROST RESISTANT



CHAIR CASTER SCRATCH RESISTANT



SUITABLE FOR WHEELCHAIRS



LOW MAINTENANCE

SUITABILITY AND USE.

A FLOORING SYSTEM FOR INDOOR AND OUT.

Suitability and Use

Indoor areas: In all living areas for example: offices, corridors, stairs, bathrooms, toilets, etc.

Outdoor areas: balconies, terraces, and pathways

Quality control, quality inspection made by neutral, government-approved test institutes;
On-going self-monitoring.

End-product

Seamless homogenous coating, solvent-free, open-pore and skid resistant, wheelchair suitable execution possible, abrasion-proof, slip-proof and feet friendly

Build

Monolayer construction,
open-pore or with pore sealant.

Specification

Application thickness: 4-6 mm

(Grain size: 1-2 resp. 2-3 mm)

Application thickness: 6-8 mm

(Grain size: 2-4 resp. 4-6 mm)

Weight

Own weight 12-16 kg/m²

(2,0 kg per mm layer thickness)

Features

Open-pore structure, colored or multicolored, the natural look or with colored stones- customized to hundreds of tones

Scent

Once installed: odorless

During installation: solvent-free, minimal odor

Grade

Pressure resistance: 30,5 N/mm³

Flexibility: 10,0 N/mm³

Tensile Strength: 3,0 N/mm²

Abrasion Depth: Vm = 171 mm³

Adhesive bonding(concrete): 1,88 N/mm²

Modulus of elasticity: 5.700 N/mm²

Slip resistance: R9/R10 (depending on grain)

Slip resistance in wet areas: A+B+C

Flammability : Non-flammable with
(DIN EN 13501-1: A2 FL-s1) few combustible components.

Water

Resistant to water and frost (de-icing salt shock-resistant), through the open structure rain-water runs off, without leaving puddles

Interaction with Chemical Agents

Oil and gasoline do not stain, in addition, resistant to acids, bases and other chemicals

Heat Exposure

Temperature resistance from -40 C to + 80 C, and suitable for floor heating

Electrical Conductivity

Resistance ohms 1,08 x 10¹² Ohm.

Does not arrive when walking.

SEAMLESS.



low-emission
because
specially selected
and approved
materials are
used.

SUITABILITY AND USE.

A FLOORING SYSTEM FOR INDOORS AND OUT.

Maintenance

Low maintenance in indoor areas, a basic cleaning with a vacuum from time to time is enough. The open-pore structure minimizes dust dispersion. Stains such as coffee, toner and drawing ink are easy to remove. If the floor is heavily soiled it can be cleaned with a pressure washer. For outdoor areas with water, brush or pressure wash with a flat spray. The distance between the nozzle and the floor should be at least 10 cm.

Curing time

The surfaces are walkable after 24 hours and chemically resistant after 7 days.

The Subfloor

Any solid, load-bearing subfloor is suitable, for example: concrete, screed, asphalt, stone, tile, and marble, in addition to indoor areas such as wood and chipboard. On soft or yielding subfloors, for example heat insulation or cork, an application with a self-supporting thickness of about 15-18 mm is possible.

Surface treatment

The normal application does not require further treatment. The surface is sealed for extreme wear. For hygienic reasons a "pore closer" is applied in certain rooms such as bathroom or kitchen.

Modern low-emission with RISTO®.

The German Committee for Health Related Evaluation of Building Products (AgBB) for its initials in German, analyzed the emissions of volatile organic compounds (VOCs) in our building products. For example, for all living spaces only floors that have been tested and approved according by AgBB standards are used.

RISTO® floors can be made completely emission-free by request, starting with the tested and approved priming to the epoxy resin. Because we care about your health.



COLLECTION.

UNIQUE DESIGN POSSIBILITIES, IN
SHAPE AND COLOR.



METALLIC.


METALLIC COLORED SHADES AND A VARIETY OF EFFECTS THAT CAN BE MIXED.



116
Metallic 116
(2334_1235)
+ Silver



117
Metallic 117
(2391)



118
Metallic 118
(2392)



119
Metallic 119
(2393)



120
Metallic 120
(2394)



121
Metallic 121
(2397)

SPECIAL COLORS.

VERY ELEGANT SHADES FREQUENTLY USED IN OUR CONTRACTS FOR THE AUTOMOBILE INDUSTRY.



Sonderfarbe
(1267)



Sonderfarbe
(2378)



Sonderfarbe
(1278)



Sonderfarbe
(78_0,7-1,2mm)



Sonderfarbe
(1278_68_33)



Sonderfarbe
(67_0,7-1,2mm)



RISTO® – OMNIFLOOR®

Risto GmbH & Co.KG
Vehleener Straße 79
31683 Obernkirchen/Vehlen
Tel. +49 (0) 5724 4007
Fax +49 (0) 5724 8873
info@risto-deutschland.de
www.risto-deutschland.de

HERING.de

Colors may vary due to printing.

OMNIFLOOR®
The RISTO® System Way